



Lecture 1

CS 161 Design and Analysis of Algorithms

Ioannis Panageas

Course staff

Instructor: Ioannis Panageas

Email: [ipanagea at ics dot uci dot edu](mailto:ipanagea@ics.uci.edu)

Office hours: Wednesday 3:00-4:00pm

TA: Will Overman

Email: [overmana at uci dot edu](mailto:overmana@uci.edu)

Office hours: Tuesday 2:30-3:30pm



TA: Stelios Stavroulakis

Email: [sstavrou at uci dot edu](mailto:sstavrou@uci.edu)

Office hours: Wednesday 1:00-2:00pm



Course material

We will use canvas for announcements and homeworks. Slide materials will be posted on

<https://panageas.github.io/algo2022/>

We will be using Piazza for questions of general interest about the course material, the homework, and the tests

<https://piazza.com/uci/spring2022/compsci161>

Required Textbook

- Algorithm Design and Applications, by M. T. Goodrich and R. Tamassia.

Recommended Textbook

- Introduction to Algorithms by Thomas H. Cormen, Charles E. Leiserson, Ronald L. Rivest, and Clifford Stein.

Grading

- **Homeworks:** 20%
 - There will be given 4 Homeworks to solve (+5% bonus for using **Latex!**).
 - **Midterms:** 40%
 - There will be given 2 midterms, on Thursdays of week 5 and 9. Each midterm will contain topics from all taught previous weeks.
 - **Final :** 40%
 - Material from all weeks.
- +1% bonus** for Course Evaluation

Letter Grades

- **Not** a straight scale nor straight curve
- 90% and up guaranteed some sort of A or A-
- 80% and up guaranteed at least B-
- 70% and up guaranteed at least C-

Submitting Assignments

- **Written** assignments in **Canvas**
 - Must be legible
 - If you have messy handwriting, **type** your homework!
 - **Bonus** 5% for **Latex**!
 - Must be **on-time**.
 - **Deadline: Fridays 23:59pm** (see syllabus)
- **Programming** assignments in **Gradescope**
 - Code must be in python and need to pass test cases

Exam Dates and Rules

- The exams are held on the **days listed (syllabus)**
 - See policy in syllabus for makeup exams
- Exams will not be excused for reasons within your control

Academic Integrity Policy

- If you **need help**, see:
 - Ioannis
 - Will or Stelios
- **Plagiarism** risks an **F** in the class and more.
- The following are examples of **not okay**:
 - Chegg GeeksForGeeks
 - CourseHero Quora
 - StackOverflow Github (generally)

Collaboration with classmates

- You can discuss some things freely with others:
 - What a problem is asking
 - How to do a non-homework or non-exam problem
 - How something from lecture worked
- You should **never**:
 - **Show** your homework assignment to someone else
 - Write your solutions from notes taken **outside** lecture / **discussion**
 - Seek homework solutions from **outside** sources -- especially online!
 - Tell a student specifically how to solve a homework problem
- Penalty for academic **dishonesty**: **F** in the course.

Commercial Note Taking

- It is **prohibited** to be **paid** to take notes
- It is **prohibited** to **sell** your notes from this class
- **Do not upload course materials**
 - Do not upload handouts
 - Do not upload returned exams
 - Do not upload lecture slides
- Violations are **violations** of student conduct **code**

To-Do This Week

- Read **the syllabus**
 - Treat it as though it's a reading assignment.
 - Main document plus associated policy documents
- Review Prerequisites
 - Help is available all week, including at all discussion sections
- Programming Assignment 0
 - Get familiar with Gradescope

What is algorithm

- Algorithm is a procedure for solving a task



e.g. how do you sort a cart of books in increasing order of the volume number? (i.e. volume 1, volume 2, volume 3...)

- Bad algorithm: compare all books, put smallest volume in the beginning and repeat.
- Clever algorithm: divide the cart into two, sort the first half, sort the second half, merge them.

What is algorithm

- Algorithm is a procedure for solving a task



e.g. How to find the best travelling time between from a station to **any other** station?

- Bad algorithm: manually find the travelling between each station.
- Clever algorithm: just record the travelling time between consecutive stations, then use the **Dijkstra shortest path** algorithm.

Case study: Finding a Celebrity

Since coming to UC Irvine, has anyone met a celebrity?



What is a celebrity?

- Within a group of people G , we say a person p is a **celebrity** (famous) if:
 - **Everyone knows who p is**
(celebrities must be known by everyone)
 - Person p does not know who anyone else is
- **Goal:** Find a celebrity from G if there exists one.


What is a celebrity?

- Within a group of people G , we say a person p is a **celebrity** (famous) if:
 - **Everyone knows who p is**
(celebrities must be known by everyone)
 - Person p does not know who anyone else is
- **Goal:** Find a celebrity from G if there exists one.

Model the problem as a **directed graph**:

0 knows 1, 0 knows 3, 0 knows 4

1 knows 2, 3 knows 2, 4 knows 3



Brute force approach

- Given a person p we want to check if it is a celebrity
 - How **efficiently** can I check if person p is a celebrity?

Brute force approach

- Given a person p we want to check if it is a celebrity
 - How **efficiently** can I check if person p is a celebrity?
 - Check **all other group members** if they know p and also if p does not know them.

Brute force approach

- Given a person p we want to check if it is a celebrity
 - How **efficiently** can I check if person p is a celebrity?
 - Check **all other group members** if they know p and also if p does not know them.

This gives $2n - 2$ "checks" where n is the group size.

Brute force approach

- Given a person p we want to check if it is a celebrity
 - How **efficiently** can I check if person p is a celebrity?
 - Check **all other group members** if they know p and also if p does not know them.

This gives $2n - 2$ "checks" where n is the group size.

- We have to do the above for **all possible persons** p .

Brute force approach

- Given a person p we want to check if it is a celebrity
 - How **efficiently** can I check if person p is a celebrity?
 - Check **all other group members** if they know p and also if p does not know them.

This gives $2n - 2$ "checks" where n is the group size.

- We have to do the above for **all possible persons** p .

Total "checks" are $(2n - 2) \cdot n$ which gives $\Theta(n^2)$.

Brute force approach

- Given a person p we want to check if it is a celebrity
 - How **efficiently** can I check if person p is a celebrity?
 - Check **all other group members** if they know p and also if p does not know them.

This gives $2n - 2$ "checks" where n is the group size.

- We have to do the above for **all possible persons** p .

Total "checks" are $(2n - 2) \cdot n$ which gives $\Theta(n^2)$.

Can we do better?

Faster approach

- Put all the members in a list (arbitrary order)
 - Pick the first two members of the list, let p, q .
 - Check if p knows q .

Faster approach

- Put all the members in a list (arbitrary order)
 - Pick the first two members of the list, let p , q .
 - Check if p knows q .

2 Cases:

1. p knows q . Then p is **not a celebrity** (remove p from the list).
2. p does not know q . Then q is **not a celebrity** (remove q from the list).

Faster approach

- Put all the members in a list (arbitrary order)
 - Pick the first two members of the list, let p , q .
 - Check if p knows q .

2 Cases:

1. p knows q . Then p is **not a celebrity** (remove p from the list).
 2. p does not know q . Then q is **not a celebrity** (remove q from the list).
- Repeat the above process. At **every iterate**, we remove **one person**.

Faster approach

- Put all the members in a list (arbitrary order)
 - Pick the first two members of the list, let p, q .
 - Check if p knows q .
 - Repeat the above process. At **every iterate**, we remove **one person**.

After $n - 1$ "iterates" we have **one** member in the list.

Check if this **remaining** person is a celebrity.

Faster approach

- Put all the members in a list (arbitrary order)
 - Pick the first two members of the list, let p, q .
 - Check if p knows q .
 - Repeat the above process. At **every iterate**, we remove **one person**.

After $n - 1$ "iterates" we have **one** member in the list.

Check if this **remaining** person is a celebrity.

Total "checks" are $2n - 2$ which gives $\Theta(n)$.